whitex Documentation

Release 0.0.5

Maxim Ivanov

Aug 18, 2020

Contents:

1 whitex **1**
- 1.1 Features . . . 1
- 1.2 Credits . . . 1

2 Installation **3**
- 2.1 Stable release . . . 3
- 2.2 From sources . . . 3

3 Usage **5**

4 Contributing **7**
- 4.1 Types of Contributions . . . 7
- 4.2 Get Started! . . . 8
- 4.3 Pull Request Guidelines . . . 9
- 4.4 Tips . . . 9
- 4.5 Deploying . . . 9

5 Credits **11**
- 5.1 Development Lead . . . 11
- 5.2 Contributors . . . 11

6 History **13**
- 6.1 0.0.1 (2020-08-17) . . . 13
- 6.2 0.0.2 (2020-08-17) . . . 13
- 6.3 0.0.3 (2020-08-18) . . . 13
- 6.4 0.0.4 (2020-08-18) . . . 13
- 6.5 0.0.5 (2020-08-18) . . . 13

7 Indices and tables **15**

CHAPTER 1

whitex

Clean up LaTeX files

- Free software: GNU General Public License v3
- Documentation: https://whitex.readthedocs.io.

1.1 Features

- TODO

1.2 Credits

This project is a fork of blacktex. The present project aims at OOP development.

This package was created with Cookiecutter and the audreyr/cookiecutter-pypackage project template.

CHAPTER 2

Installation

2.1 Stable release

To install whitex, run this command in your terminal:

```
$ pip install whitex
```

This is the preferred method to install whitex, as it will always install the most recent stable release.

If you don't have pip installed, this Python installation guide can guide you through the process.

2.2 From sources

The sources for whitex can be downloaded from the Github repo.

You can either clone the public repository:

```
$ git clone git://github.com/ivanovmg/whitex
```

Or download the tarball:

```
$ curl -OJL https://github.com/ivanovmg/whitex/tarball/master
```

Once you have a copy of the source, you can install it with:

```
$ python setup.py install
```

CHAPTER 3

Usage

To clean up LaTeX file invoke the following from the command line:

```
$ whitex input.tex output.tex
```

In order to keep comments (both inline and full commented out lines) pass an optional argument `--keep-comments`:

```
$ whitex --keep-comments input.tex output.tex
```

CHAPTER 4

Contributing

Contributions are welcome, and they are greatly appreciated! Every little bit helps, and credit will always be given.

You can contribute in many ways:

4.1 Types of Contributions

4.1.1 Report Bugs

Report bugs at https://github.com/ivanovmg/whitex/issues.

If you are reporting a bug, please include:

- Your operating system name and version.
- Any details about your local setup that might be helpful in troubleshooting.
- Detailed steps to reproduce the bug.

4.1.2 Fix Bugs

Look through the GitHub issues for bugs. Anything tagged with "bug" and "help wanted" is open to whoever wants to implement it.

4.1.3 Implement Features

Look through the GitHub issues for features. Anything tagged with "enhancement" and "help wanted" is open to whoever wants to implement it.

4.1.4 Write Documentation

whitex could always use more documentation, whether as part of the official whitex docs, in docstrings, or even on the web in blog posts, articles, and such.

4.1.5 Submit Feedback

The best way to send feedback is to file an issue at https://github.com/ivanovmg/whitex/issues.

If you are proposing a feature:

- Explain in detail how it would work.
- Keep the scope as narrow as possible, to make it easier to implement.
- Remember that this is a volunteer-driven project, and that contributions are welcome :)

4.2 Get Started!

Ready to contribute? Here's how to set up *whitex* for local development.

1. Fork the *whitex* repo on GitHub.
2. Clone your fork locally:

```
$ git clone git@github.com:your_name_here/whitex.git
```

3. Install your local copy into a virtualenv. Assuming you have virtualenvwrapper installed, this is how you set up your fork for local development:

```
$ mkvirtualenv whitex
$ cd whitex/
$ python setup.py develop
```

4. Create a branch for local development:

```
$ git checkout -b name-of-your-bugfix-or-feature
```

   Now you can make your changes locally.

5. When you're done making changes, check that your changes pass flake8 and the tests, including testing other Python versions with tox:

```
$ flake8 whitex tests
$ python setup.py test or pytest
$ tox
```

   To get flake8 and tox, just pip install them into your virtualenv.

6. Commit your changes and push your branch to GitHub:

```
$ git add .
$ git commit -m "Your detailed description of your changes."
$ git push origin name-of-your-bugfix-or-feature
```

7. Submit a pull request through the GitHub website.

4.3 Pull Request Guidelines

Before you submit a pull request, check that it meets these guidelines:

1. The pull request should include tests.
2. If the pull request adds functionality, the docs should be updated. Put your new functionality into a function with a docstring, and add the feature to the list in README.rst.
3. The pull request should work for Python 3.5, 3.6, 3.7 and 3.8, and for PyPy. Check https://travis-ci.com/ivanovmg/whitex/pull_requests and make sure that the tests pass for all supported Python versions.

4.4 Tips

To run a subset of tests:

```
$ pytest tests.test_whitex
```

4.5 Deploying

A reminder for the maintainers on how to deploy. Make sure all your changes are committed (including an entry in HISTORY.rst). Then run:

```
$ bump2version patch # possible: major / minor / patch
$ git push
$ git push --tags
```

Travis will then deploy to PyPI if tests pass.

CHAPTER 5

Credits

5.1 Development Lead

- Maxim Ivanov <ivanovmg@gmail.com>

5.2 Contributors

None yet. Why not be the first?

CHAPTER 6

History

6.1 0.0.1 (2020-08-17)

- First release on PyPI.

6.2 0.0.2 (2020-08-17)

- Restricted to tex extension only.

6.3 0.0.3 (2020-08-18)

- Added flag –keep-comments.
- Improved comments handling.
- Modified behavior for removal whitespace around brackets.

6.4 0.0.4 (2020-08-18)

- Internal changes

6.5 0.0.5 (2020-08-18)

- Overwrite tex files and optionally keep backup.

CHAPTER 7

Indices and tables

- genindex
- modindex
- search